

	Final Report
V	Revised Report

Report Date: 27-Jun-17 10:17

Laboratory Report SC35772

Gulf Oil L.P. 281 Eastern Avenue Chelsea, MA 02150 Attn: Andrew P. Adams

Project: Gulf Terminal - Chelsea, MA

Project #: Gulf Chelsea

I attest that the information contained within the report has been reviewed for accuracy and checked against the quality control requirements for each method. These results relate only to the sample(s) as received.

All applicable NELAC requirements have been met.

Massachusetts # M-MA138/MA1110 Connecticut # PH-0777 Florida # E87936 Maine # MA138 New Hampshire # 2972/2538 New Jersey # MA011 New York # 11393 Pennsylvania # 68-04426/68-02924 Rhode Island # LAO00348 USDA # P330-15-00375 Vermont # VT-11393



Authorized by:

Christina White Laboratory Director

Christina a. White

Eurofins Spectrum Analytical holds primary certification in the State of Massachusetts for the analytes as indicated with an X in the "Cert." column within this report. Please note that the State of Massachusetts does not offer certification for all analytes. Please refer to our website for specific certification holdings in each state.

Please note that this report contains 10 pages of analytical data plus Chain of Custody document(s). When the Laboratory Report is indicated as revised, this report supersedes any previously dated reports for the laboratory ID(s) referenced above. Where this report identifies subcontracted analyses, copies of the subcontractor's test report are available upon request. This report may not be reproduced, except in full, without written approval from Eurofins Spectrum Analytical, Inc.

Eurofins Spectrum Analytical, Inc. is a NELAC accredited laboratory organization and meets NELAC testing standards. Use of the NELAC logo however does not insure that Eurofins Spectrum Analytical, Inc. is currently accredited for the specific method or analyte indicated. Please refer to our Quality web page at www.spectrum-analytical.com for a full listing of our current certifications and fields of accreditation. States in which Eurofins Spectrum Analytical, Inc. holds NELAC certification are New York, New Hampshire, New Jersey, Pennsylvania and Florida. All analytical work for Volatile Organic and Air analysis are transferred to and conducted at our 830 Silver Street location (PA-68-04426).

Please contact the Laboratory or Technical Director at 800-789-9115 with any questions regarding the data contained in this laboratory report.

Sample Summary

Work Order: SC35772

Project: Gulf Terminal - Chelsea, MA

Project Number: Gulf Chelsea

Laboratory IDClient Sample IDMatrixDate SampledDate ReceivedSC35772-01Outfall 003Surface Water09-Jun-17 15:0013-Jun-17 15:05

CASE NARRATIVE:

Data has been reported to the RDL. This report excludes estimated concentrations detected below the RDL and above the MDL (J-Flag).

All non-detects and all results below the reporting limit are reported as "<" (less than) the reporting limit in this report.

The samples were received 3.6 degrees Celsius, please refer to the Chain of Custody for details specific to temperature upon receipt. An infrared thermometer with a tolerance of +/- 1.0 degrees Celsius was used immediately upon receipt of the samples.

If a Matrix Spike (MS), Matrix Spike Duplicate (MSD) or Duplicate (DUP) was not requested on the Chain of Custody, method criteria may have been fulfilled with a source sample not of this Sample Delivery Group.

Analyses for Total Hardness, pH, and Total Residual Chlorine fall under the state of Pennsylvania code Chapter 252.6 accreditation by rule.

June 27, 2017 Report Revision Case Narrative:

This report has been revised to correct analyte list per COC.

See below for any non-conformances and issues relating to quality control samples and/or sample analysis/matrix.

SW846 8260C

Calibration:

1705025

Analyte quantified by quadratic equation type calibration.

Naphthalene

This affected the following samples:

1709889-BLK1

1709889-BS1

1709889-BSD1

Outfall 003

S704674-ICV1

S705362-CCV1

SW846 8270D SIM

Calibration:

1704025

Analyte quantified by quadratic equation type calibration.

Benzo (a) pyrene

Benzo (e) pyrene-d12

This affected the following samples:

Outfall 003

S703654-ICV1

S705742-CCV1

This laboratory report is not valid without an authorized signature on the cover page.

Sample Acceptance Check Form

Project:										
Work Order:	SC35772									
Sample(s) received on:	6/13/2017									
The following outlines t	he condition of samples for the attached Chain of Custody upon receipt.									
		<u>Yes</u>	<u>No</u>	<u>N/A</u>						
Were custody se	Were custody seals present?									
Were custody se			✓							
Were samples re	eceived at a temperature of ≤ 6°C?	✓								
Were samples re	efrigerated upon transfer to laboratory representative?	✓								
Were sample co	ntainers received intact?	\checkmark								
	roperly labeled (labels affixed to sample containers and include sample ID, site project number and the collection date)?	$\overline{\checkmark}$								
Were samples a	ecompanied by a Chain of Custody document?	✓								
include sample	Custody document include proper, full, and complete documentation, which shall ID, site location, and/or project number, date and time of collection, collector's name, se, sample matrix and any special remarks concerning the sample?	V								
Did sample con	tainer labels agree with Chain of Custody document?	\checkmark								
Were samples re	eceived within method-specific holding times?	abla	П							

Client:

Gulf Oil L.P.

Summary of Hits

Lab ID: SC35772-01 Client ID: Outfall 003

Parameter	Result	Flag	Reporting Limit	Units	Analytical Method
Total Suspended Solids	3.7		0.5	mg/l	SM2540D (11)

Please note that because there are no reporting limits associated with hazardous waste characterizations or micro analyses, this summary does not include hits from these analyses if included in this work order.

Sample Id Outfall 00 SC35772-				Client Pr Gulf Cl			<u>Matrix</u> Surface Wa	-	ection Date 0-Jun-17 15	<u>Re</u> 13-			
CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.
Volatile O	rganic Compounds												
	rganic Aromatics by SW84 by method SW846 5030 W												
71-43-2	Benzene	< 1.0		μg/l	1.0	0.3	1	SW846 8260C	14-Jun-17	14-Jun-17	GMA	1709889	
91-20-3	Naphthalene	< 1.0		μg/l	1.0	0.4	1	"	"	"	"	"	
Surrogate i	recoveries:												
460-00-4	4-Bromofluorobenzene	92			70-13	80 %		"	"	n	"	"	
2037-26-5	Toluene-d8	101			70-13	80 %			"	"	"	"	
17060-07-0	1,2-Dichloroethane-d4	106			70-13	80 %			"	"	"	"	
1868-53-7	Dibromofluoromethane	104			70-13	80 %		"	"	"	"	"	
Semivolati	ile Organic Compounds by (GCMS											
SVOCs by													
	by method SW846 3510C												
50-32-8	Benzo (a) pyrene	< 0.050		μg/l	0.050	0.020	1	SW846 8270D SIM	16-Jun-17	22-Jun-17	MSL	1710060	
91-20-3	Naphthalene	< 0.050		μg/l	0.050	0.021	1	II .	"	"	"	"	
Surrogate i	recoveries:												
205440-82-0	Benzo (e) pyrene-d12	62			30-13	80 %		"	"	"	"	"	
	le Petroleum Hydrocarbons by method SW846 3510C												
-	Oil & Grease	< 1.00	OG	mg/l	1.00	0.915	1	EPA 1664B	20-Jun-17	20-Jun-17	KK	1710279	Х
General C	hemistry Parameters												
	рН	7.79	рН	pH Units			1	ASTM D 1293-99B	13-Jun-17 18:00	13-Jun-17 18:00	BD	1709878	Х
	Total Suspended Solids	3.7		mg/l	0.5	0.2	1	SM2540D (11)	16-Jun-17	20-Jun-17	CMB	1710067	Х

27-Jun-17 10:17 Page 6 of 10

Volatile Organic Compounds - Quality Control

nalyte(s)	Result	Flag	Units	*RDL	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limi
W846 8260C										
atch 1709889 - SW846 5030 Water MS										
Blank (1709889-BLK1)					Pre	epared & Ar	nalyzed: 14-	-Jun-17		
Benzene	< 1.0		μg/l	1.0						
Naphthalene	< 1.0		μg/l	1.0						
Surrogate: 4-Bromofluorobenzene	45.3		μg/l		50.0		91	70-130		
Surrogate: Toluene-d8	51.2		μg/l		50.0		102	70-130		
Surrogate: 1,2-Dichloroethane-d4	52.7		μg/l		50.0		105	70-130		
Surrogate: Dibromofluoromethane	52.2		μg/l		50.0		104	70-130		
LCS (1709889-BS1)					Pre	epared & Ar	nalyzed: 14-	-Jun-17		
Benzene	20.0		μg/l		20.0		100	70-130		
Naphthalene	16.8		μg/l		20.0		84	70-130		
Surrogate: 4-Bromofluorobenzene	52.8		μg/l		50.0		106	70-130		
Surrogate: Toluene-d8	51.1		μg/l		50.0		102	70-130		
Surrogate: 1,2-Dichloroethane-d4	49.7		μg/l		50.0		99	70-130		
Surrogate: Dibromofluoromethane	51.2		μg/l		50.0		102	70-130		
LCS Dup (1709889-BSD1)					Pre	epared & Ar	nalyzed: 14-	-Jun-17		
Benzene	19.8		μg/l		20.0		99	70-130	1	20
Naphthalene	19.2		μg/l		20.0		96	70-130	13	20
Surrogate: 4-Bromofluorobenzene	52.7		μg/l		50.0		105	70-130		
Surrogate: Toluene-d8	51.0		μg/l		50.0		102	70-130		
Surrogate: 1,2-Dichloroethane-d4	48.2		μg/l		50.0		96	70-130		
Surrogate: Dibromofluoromethane	50.0		μg/l		50.0		100	70-130		

Extractable Petroleum Hydrocarbons - Quality Control

Analyte(s)	Result	Flag	Units	*RDL	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit					
EPA 1664B															
Batch 1710279 - SW846 3510C															
Blank (1710279-BLK1)					Prepared & Analyzed: 20-Jun-17										
Oil & Grease	< 1.02		mg/l	1.02											
LCS (1710279-BS1)					Pre	epared & Ar	nalyzed: 20-	Jun-17							
Oil & Grease	35.0		mg/l	1.00	39.7		88	78-114							

General Chemistry Parameters - Quality Control

Analyte(s)	Result	Flag	Units	*RDL	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit				
ASTM D 1293-99B														
Batch 1709878 - General Preparation														
Reference (1709878-SRM1)	Prepared & Analyzed: 13-Jun-17													
рН	6.03		pH Units		6.00		100	97.5-102. 5						
Reference (1709878-SRM2)					Pre	epared & Ar	nalyzed: 13	ed: 13-Jun-17						
рН	5.99		pH Units		6.00		100	97.5-102. 5						
SM2540D (11)														
Batch 1710067 - General Preparation														
Blank (1710067-BLK1)					Pre	epared: 16-	Jun-17 An	alyzed: 20-Ju	<u>ın-17</u>					
Total Suspended Solids	< 0.5		mg/l	0.5										
LCS (1710067-BS1)					Pre	epared: 16-	Jun-17 An	alyzed: 20-Ju	<u>ın-17</u>					
Total Suspended Solids	98.0		mg/l	10.0	100		98	90-110						

Notes and Definitions

dry Sample results reported on a dry weight basis

NR Not Reported

RPD Relative Percent Difference

OG The required Matrix Spike and Matrix Spike Duplicate (MS/MSD) for Oil & Grease method 1664B can only be analyzed

when the client has submitted sufficient sample volume. An extra liter per MS/MSD is required to fulfill the method QC criteria. Please refer to Chain of Custody and QC Summary (MS/MSD) of the Laboratory Report to verify ample sample

volume was submitted to fulfill the requirement.

pH The method for pH does not stipulate a specific holding time other than to state that the samples should be analyzed as

soon as possible. For aqueous samples the 40 CFR 136 specifies a holding time of 15 minutes from sampling to analysis. Therefore all aqueous pH samples not analyzed in the field are considered out of hold time at the time of sample receipt.

All soil samples are analyzed as soon as possible after sample receipt.

<u>Laboratory Control Sample (LCS)</u>: A known matrix spiked with compound(s) representative of the target analytes, which is used to document laboratory performance.

Matrix Duplicate: An intra-laboratory split sample which is used to document the precision of a method in a given sample matrix.

<u>Matrix Spike</u>: An aliquot of a sample spiked with a known concentration of target analyte(s). The spiking occurs prior to sample preparation and analysis. A matrix spike is used to document the bias of a method in a given sample matrix.

<u>Method Blank</u>: An analyte-free matrix to which all reagents are added in the same volumes or proportions as used in sample processing. The method blank should be carried through the complete sample preparation and analytical procedure. The method blank is used to document contamination resulting from the analytical process.

Method Detection Limit (MDL): The minimum concentration of a substance that can be measured and reported with 99% confidence that the analyte concentration is greater than zero and is determined from analysis of a sample in a given matrix type containing the analyte.

Reportable Detection Limit (RDL): The lowest concentration that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operating conditions. For many analytes the RDL analyte concentration is selected as the lowest non-zero standard in the calibration curve. While the RDL is approximately 5 to 10 times the MDL, the RDL for each sample takes into account the sample volume/weight, extract/digestate volume, cleanup procedures and, if applicable, dry weight correction. Sample RDLs are highly matrix-dependent.

<u>Surrogate</u>: An organic compound which is similar to the target analyte(s) in chemical composition and behavior in the analytical process, but which is not normally found in environmental samples. These compounds are spiked into all blanks, standards, and samples prior to analysis. Percent recoveries are calculated for each surrogate.

<u>Continuing Calibration Verification:</u> The calibration relationship established during the initial calibration must be verified at periodic intervals. Concentrations, intervals, and criteria are method specific.

SC35772 &

	Charles Son	Kanngarshed M: Received by:			000 1111 6 COC III DOC	Clans	SIGNO	11/9/1				X1= X2= X3=	O=Oil SO=Soil SL=Sludge A=Indoor/Ambient Air SG=Soil Gas	DW=Dinking Water GW=Groundwater SW=Surface Water WW=Waste Water	NaHSO ₄ 9=Deionized Water 10=H ₃ PO ₄ 11=	tered I=Na ₂ S2O ₃ 2=HCl 3=H ₂ SO ₄ 4=HNO ₃ 5=N ₂		Chelsea, MA 02150	281 Eastern Ave	Gulf Oil LP		SPECTRUM ANALYTICAL, INC. Featuring HANIBAL TECHNOLOGY	CH		
S S C C	130	Date: Time: Temp °C				a sw 1	G SW 3	30 G SW 1	50 G SW 1 ×	Type Matri # of Ve # of Ai # of Cl # of Pl TSS, p O&G VOCs	OA V	Glass		ie Water Containers	none 12= 11 3 2	6=Ascorbic Acid	P.O No.: Quote/RQN:	Wellesley, MA 02481-3705	80 William St, Suite 400	Guit Oil LP	Invoice To: Christopher Gill	Page1 _ of1	CHAIN OF CUSTODY RECORD		
Condition upon receipt Custody Seals: Present Intact Broken Ambient Iced Refrigerated Intervention Soil Jan Fiozen	E-mail to: aadams@gulfbil.com, cgill@gulfbil.com	☐ EDD format:			☐ benzo(a)pyrene 0.1 µg/L	X naphthalene 5 μg/L	X Denzene 2 µg/L	☐ Required MLS:		PAH (naphtl Other: Other: State-specific reporting standards:	benz(a) py		knalysts MA	11 ** additional charges may appply	List Preservative Code below: QA/QC Reporting Notes:		Adems	281 Eastern Ave	Site Name: Gulf Chelsea Terminal	Project No: Gulf Chelsea	All t. I. Sunject to taubianty approven Min. 24-hr notification needed for makes Samples disposed after 60 days unless otherwise instructed.	☐ Rush TAT - Date Needed:	Standard TAT - 7 to 10 business days	Cassial Handling

Batch Summary

1709878

General Chemistry Parameters

1709878-SRM1 1709878-SRM2

SC35772-01 (Outfall 003)

1709889

Volatile Organic Compounds

1709889-BLK1 1709889-BS1 1709889-BSD1

SC35772-01 (Outfall 003)

<u>1710060</u>

Semivolatile Organic Compounds by GCMS

SC35772-01 (Outfall 003)

1710067

General Chemistry Parameters

1710067-BLK1 1710067-BS1

SC35772-01 (Outfall 003)

1710279

Extractable Petroleum Hydrocarbons

1710279-BLK1 1710279-BS1

SC35772-01 (Outfall 003)

S703654

Semivolatile Organic Compounds by GCMS

S703654-CAL1

S703654-CAL2

S703654-CAL3

S703654-CAL4

S703654-CAL5

S703654-CAL6

S703654-CAL7

S703654-CAL8

S703654-CAL9

S703654-CALA

S703654-CALB

S703654-ICV1

S703654-LCV1

S703654-LCV2

S703654-TUN1

S704674

Volatile Organic Compounds

S704674-CAL1

S704674-CAL2

S704674-CAL3

S704674-CAL4

S704674-CAL5

S704674-CAL6

S704674-CAL7

S704674-CAL8

S704674-CAL9

S704674-ICV1

S704674-LCV1

S704674-LCV2

S704674-LCV3

S704674-TUN1

S705362

Volatile Organic Compounds

S705362-CCV1

S705362-TUN1

S705742

Semivolatile Organic Compounds by GCMS

S705742-CCV1

S705742-TUN1